

VACUUM PRESSURE SYSTEMS CATALOG



PIAGGIO PORTER NP6

COMBI BASIC

ADVANCE PRO

MODEL 2,8TN







Advance pro

01

High

features

02

Fuel savings

03

Vacuum and/or impulsion mixed trucks



ADVANTAGES OF USING OUR SERVICES

- >> Technical service.
- >> Industry expertise.
- >> Personalised assistance.
- Special discounts.
- >> High-quality European components.



REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.



Equipment with European certification and approval.





VPS CATALOG


*The images are only for reference and may be modified upon customer request.



Quart De Poblet. Valencia, ES









MODEL 2,8TN

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

PIAGGIO PORTER NP6

Models


COMBI BASIC


ADVANCE PRO

CHASSIS FEATURES

PIAGGIO PORTER NP6 – HD TOP – 2,8 TN – 115 HP 1.5 CC - AA - EE - ESC ASR - ABS - EBD - HBA - TCS - ECALL - ARP - TSM.

Equipment dimensions: Combi Basic 4.90m x 1.60m x 1.95m Advance Pro 4.90m x 1.70m x 1.95m





	COMBI BASIC	ADVANCE PRO
TANK	Stainless steel, 2000L capacity with manholes	Stainless steel, 2000L capacity with manholes
COMPARTIMENTS	800L clean water/1200L sludge with by-pass	800L clean water/1200L sludge with by-pass
PRESSURE PUMP	150 bar-70L / min with flow regulator and safety valve	150 bar-70L / min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Jurop PN33 or Battioni Pagani MEC 2000H	Jurop PN33 or Battioni Pagani MEC2000H
BACK REEL	Hidraulic with a high pressure hose	Hydraulic with a high pressure hose and spindle aided
SIDE SUCTION REEL	Not included	Hydraulic in reinforced aluminum
REMOTE CONTROL	High-range with amplifier and antenna	High-range with amplifier and antenna

FORD RANGER XL 4X4

COMBI BASIC

ADVANCE PRO

MODEL 3,2TN







01

High

features

02

Fuel savings

03

Vacuum and/or impulsion mixed trucks



Advance pro

ADVANTAGES OF USING OUR SERVICES

- >> Technical service.
- Industry expertise.
- >> Personalised assistance.
- Special discounts.
- >> High-quality European components.

ponents. Advance pro

REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.



Equipment with European certification and approval.




VPS CATALOG


*The images are for reference and may be modified upon customer request.



Quart De Poblet. Valencia, ES









MODEL 3,2TN

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

FORD RANGER XL 4X4

Models


COMBI BASIC

ADVANCE PRO

CHASSIS FEATURES

FORD RANGER 4X4 - 3,2 TN - 170 CV 2.0 CC - A/A - E/E - ABS - ESS - TCS - CC - AA - EE -EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH.

Equipment dimensions: Combi Basic 5.50m x 1.87m x 1.95m Advance Pro 5.50m x 1.87m x 1.95m



	COMBI BASIC	ADVANCE PRO
TANK	Stainless steel, 2000L capacity with manholes	Stainless steel, 2000L capacity with manholes
COMPARTIMENTS	800L clean water/1200L sludge with by-pass	800L clean water/1200L sludge with by-pass
PRESSURE PUMP	150 bar-70L / min with flow regulator and safety valve	150 bar-70L / min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Jurop PN33 or Battioni Pagani MEC 2000H	Jurop PN33 or Battioni Pagani MEC2000H
BACK REEL	Hidraulic with a high pressure hose	Hydraulic with a high pressure hose and spindle aided
SIDE SUCTION REEL	Not included	Hydraulic in reinforced aluminum
REMOTE CONTROL	High-range with an amplifier and an antenna	High-range with amplifier and antenna

DFSK DSK Q51

LOW COMBI

COMBI BASIC

MODEL 3,5TN







01

High features 02

Fuel savings

03

Vacuum and/or impulsion mixed trucks

Combi Basic



ADVANTAGES OF USING OUR SERVICES

Technical service. <

Personalised assistance. <

Special discounts. <

High-quality European components. <

REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.



Equipment with European certification and approval.





VPS CATALOG


*The images are only for reference and may be modified upon customer request.



Quart De Poblet. Valencia, ES









MODEL 3,5TN

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

DFSK DSK Q51

Models


LOW COMBI

COMBI BASIC

CHASSIS FEATURES

DSK Q51 3,5 TN - 115 CV 1.6 CC - ABS - ESS - TCS - CC - AA - EE -EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH

Equipment dimensions: Low Basic 5.51m x 1.80m x 1.95m Combi Basic 5.51m x 1.80m x 1.97m



	LOW COMBI	COMBI BASIC
CISTERNA	Stainless steel, 2000L capacity with manholes	Stainless steel, 2000L capacity with manholes
COMPARTIMIENTOS	800L clean water/1200L sludge with by-pass	800L clean water/1200L sludge with by-pass
BOMBA DE PRESIÓN	150 bar-70L / min with flow regulator and safety valve	150 bar-70L / min with flow regulator and safety valve
BOMBA DE VACÍO / DEPRESOR	Jurop PN33 or Battioni Pagani MEC 2000H	Jurop PN33 or Battioni Pagani MEC2000H
CARRETE POSTERIOR	Hydraulic with a high pressure hose	Hydraulic with a high pressure hose
CARRETE LATERAL DE ASPIRACIÓN	Not included	Not included
MANDO A DISTANCIA	High-range with amplifier and antenna	High-range with amplifier and antenna

FUSO 3S15

LOW COMBI

COMBI BASIC

ADVANCE PRO

MODEL 3,5TN





Combi Basic

02

01

High

features

Fuel savings

03

Vacuum and/or impulsion mixed trucks



ADVANTAGES OF USING OUR SERVICES

- > Technical service.
- > Industry expertise.
- > Personalised assistance.
- > Special discounts.
- > High-quality European components.



Advance Pro

REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.



Equipment with European certification and approval.




VPS CATALOG

*The images are only for reference and may be modified upon customer request.





Calle Canal Xuguer Turia N°9 46930 Quart De Poblet. Valencia, ES











MODEL 3,5TN

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

FUSO 3S15

Models

LOW COMBI


COMBI BASIC


ADVANCE PRO

CHASSIS FEATURES

FUSO CANTER 3S15 3,5 TN - 150 CV 3.0 CC - ABS - ESS - TCS - CC - AA - EE -EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH

Equipment dimensions: Low Combi / Combi Basic 5.40m x 1.75m x 2.08m Advance Pro 5.40m x 1.75m x 2.08m





	LOW COMBI COMBI BASIC	ADVANCE PRO
TANK	Stainless steel, 2600L capacity with manholes	Stainless steel, 2600L capacity with manholes
COMPARTIMENTS	800L clean water/1800L sludge with by-pass	800L clean water/1800L sludge with by-pass
PRESSURE PUMP	150 bar-70L / min with flow regulator and safety valve	150 bar-90L / min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Jurop PN33 or Battioni Pagani MEC 2000H	Jurop PN40 or Battioni Pagani MEC 4000H
BACK REEL	Hydraulic with a high pressure hose	Stainless steel hydraulic with hose guide
SIDE SUCTION REEL	Not included	Hydraulic in reinforced aluminum
REMOTE CONTROL	High-range with an amplifier and an antenna	High-range with an amplifier and an antenna

IVECO DAILY 35C16

COMBI BASIC

PREMIUM

03

MODEL 3,5TN







Combi Basic



Premiur

01 High

features

02

Fuel savings

Vacuum and/or impulsion mixed trucks

ADVANTAGES OF USING OUR SERVICES

- >>> Technical service.
- >> Industry expertise.
- >>> Personalised assistance.
- >>> Special discounts.
- >> High-quality European components.



REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.




Equipment with European certification and approval.




VPS CATALOG


*The images are only for reference and may be modified upon customer request.













MODEL 3,5TN

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

IVECO DAILY 35C16

Models


COMBI BASIC


PREMIUM

CHASSIS FEATURES

IVECO DAILY 35C16 3,5TN - 160 CV 3.0 CC - ABS - ESS - TCS - CC - AA - EE -EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH

Equipment dimensions: Combi Basic 5.90m x 1.95m x 2.24m Premium 6.20m x 1.95m x 2.24m





	COMBI BASIC	PREMIUM
TANK	Stainless steel, 2600L capacity with manholes	Stainless steel, 2600L capacity with manholes
COMPARTIMENTS	800L clean water/1800L sludge with by-pass	800L clean water/1800L sludge with by-pass
PRESSURE PUMP	150 bar-70L / min with flow regulator and safety valve	150 bar-70L/min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Jurop PN40 or Battioni Pagani MEC 4000H	Jurop PN40 or Battioni Pagani MEC 4000H
BACK REEL	Carbon steel hydraulic	Stainless hydraulic with hose guide
SIDE SUCTION REEL	Not included	Hydraulic in reinforced aluminum
REMOTE CONTROL	High-range with amplifier and antenna	High-range with amplifier and antenna

IVECO DAILY 65C18 GSR

COMBI BASIC

PREMIUM

03

MODEL 6TN







Combi Basic



Premiur

01 High

features

02

Fuel savings

Vacuum and/or impulsion mixed trucks

ADVANTAGES OF USING OUR SERVICES

- >> Technical service.
- >> Industry expertise.
- >>> Personalised assistance.
- >>> Special discounts.
- >> High-quality European components.



REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.




Equipment with European certification and approval.





VPS CATALOG


*The images are only for reference and may be modified upon customer request.













MODEL 6TN

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

IVECO DAILY 65C18 GSR

Models


COMBI BASIC


PREMIUM

CHASSIS FEATURES

IVECO DAILY 65C18 6TN - 160 CV 3.0 CC - GSR - ABS - ESS - TCS - CC - AA - EE -EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH

Equipment dimensions: Combi Basic 5.90m x 1.95m x 2.24m **Premium** 6.20m x 1.95m x 2.24m





	COMBI BASIC	PREMIUM
TANK	Stainless steel, 2600L capacity with manholes	Stainless steel, 2600L capacity with manholes
COMPARTIMENTS	800L clean water/1800L sludge with by-pass	800L clean water/1800L sludge with by-pass
PRESSURE PUMP	150 bar-70L / min with flow regulator and safety valve	150 bar-70L/min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Jurop PN40 or Battioni Pagani MEC 4000H	Jurop PN40 or Battioni Pagani MEC 4000H
BACK REEL	Carbon steel hydraulic	Stainless hydraulic with hose guide
SIDE SUCTION REEL	Not included	Hydraulic in reinforced aluminum
REMOTE CONTROL	High-range with amplifier and antenna	High-range with amplifier and antenna

FUSO 6S15 GSR

LOW COMBI

COMBI BASIC

ADVANCE PRO

MODEL 6TN





Combi Basic

02

High features

01

Fuel savings

03

Vacuum and/or impulsion mixed trucks



ADVANTAGES OF USING OUR SERVICES

- > Technical service.
- > Industry expertise.
- > Personalised assistance.
- > Special discounts.
- > High-quality European components.



Advance Pro

REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.



Equipment with European certification and approval.



VPS CATALOG

*The images are only for reference and may be modified upon customer request.





Calle Canal Xuguer Turia N°9 46930 Quart De Poblet. Valencia, ES











MODEL 6TN

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

FUSO 6S15 GSR

Models

LOW COMBI


COMBI BASIC


ADVANCE PRO

CHASSIS FEATURES

FUSO CANTER 6S15 6TN - 150 CV 3.0 CC - GSR - ABS - ESS - TCS - CC - AA - EE - EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH

Equipment dimensions: Low Combi / Combi Basic 5.40m x 1.75m x 2.08m Advance Pro 5.40m x 1.75m x 2.08m





	LOW COMBI COMBI BASIC	ADVANCE PRO
TANK	Stainless steel, 2600L capacity with manholes	Stainless steel, 2600L capacity with manholes
COMPARTIMENTS	800L clean water/1800L sludge with by-pass	800L clean water/1800L sludge with by-pass
PRESSURE PUMP	150 bar-70L / min with flow regulator and safety valve	150 bar-90L / min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Jurop PN33 or Battioni Pagani MEC 2000H	Jurop PN40 or Battioni Pagani MEC 4000H
BACK REEL	Hydraulic with a high pressure hose	Stainless steel hydraulic with hose guide
SIDE SUCTION REEL	Not included	Hydraulic in reinforced aluminum
REMOTE CONTROL	High-range with an amplifier and an antenna	High-range with an amplifier and an antenna

FUSO 7C18 GSR

COMBI BASIC

COMBI PREMIUM

MODEL 7,5TN







01

02

03

High features

Fuel savings

Vacuum and/or impulsion mixed trucks

ADVANTAGES OF USING OUR SERVICES

- >>> Technical service.
- >> Industry expertise.
- Personalised assistance.
- Special discounts.
- High-quality European components.



REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.



Equipment with European certification and approval.




VPS CATALOG


*The images are only for reference and may be modified upon customer request.



Quart De Poblet. Valencia, ES









MODEL 7,5TN

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

FUSO 7C18 GSR

Models


COMBI BASIC


COMBI PREMIUM

CHASSIS FEATURES

FUSO CANTER 7C18 – 7,5 TN – 180 CV – 3.0 CC - GSR - ABS - ESS - TCS - CC - AA - EE -EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH

Equipment dimensions: Combi Basic 6.20m X 1.95m X 2.24m Combi Premium 6.20m X 1.95m X 2.24m





	COMBI BASIC	COMBI PREMIUM
TANK	Stainless steel, 4000 + 2000 liters with flasks	Stainless steel, 4000 + 2000 liters with flasks
COMPARTIMENTS	2000L of clean water/ 4000L sludge with By-Pass	2000L of clean water/ 4000L sludge with By-Pass
PRESSURE PUMP	150 bar-105 L/min with flow regulator and safety valve	150 bar-105 L/min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Jurop PN58 or Battioni Pagani MEC 6500H	Jurop PN58 or Battioni Pagani MEC 6500H
BACK REEL	Carbon steel hydraulic with hose guide	Carbon steel hydraulic with hose guide
SIDE SUCTION REEL	Not included	Reinforced aluminum hydraulic after-cabin
REMOTE CONTROL	High-range with amplifier and antenna	High-range with amplifier and antenna

ISUZU P75

COMBI BASIC

COMBI PREMIUM

MODEL 7,5TN



Combi Premium



Combi Basic

01

02

03

High features

Fuel savings

Vacuum and/or impulsion mixed trucks

ADVANTAGES OF USING OUR SERVICES

- >>> Technical service.
- >> Industry expertise.
- Personalised assistance.
- Special discounts.
- High-quality European components.



REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.




Equipment with European certification and approval.




VPS CATALOG


*The images are only for reference and may be modified upon customer request.













MODEL 7,5TN

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

ISUZU P75

Models


COMBI BASIC

COMBI PREMIUM

CHASSIS FEATURES

ISUZU P75 – 7,5 TN – 190 CV – 5.2 CC- GSR - ABS - ESS - TCS - CC - AA - EE -EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH

Equipment dimensions: Combi Basic 6.20m X 1.95m X 2.24m Combi Premium 6.20m X 1.95m X 2.24m



	COMBI BASIC	COMBI PREMIUM
TANK	Stainless steel, 4000 + 2000 L with flasks	Stainless steel, 4000 + 2000 L with flasks
COMPARTIMENTS	2000L clean water/ 4000L sludge with By-Pass	2000L clean water/ 4000L sludge with By-Pass
PRESSURE PUMP	150 bar-105 L/min with flow regulator and safety valve	150 bar-105 L/min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Jurop PN58 or Battioni Pagani MEC 6500H	Jurop PN58 or Battioni Pagani MEC 6500H
BACK REEL	Carbon steel hydraulic with hose guide	Carbon steel hydraulic with hose guide
SIDE SUCTION REEL	Not included	Reinforced aluminum hydraulic after-cabin
REMOTE CONTROL	High-range with amplifier and antenna	High-range with amplifier and antenna

ISUZU F11 / F12 / F14

COMBI BASIC

MODEL 11 / 12 / 14 TN



01

High

features

02

Fuel savings

03

Vacuum and/or impulsion mixed trucks



ADVANTAGES OF USING OUR SERVICES

- >> Technical service.
- Industry expertise.
- Personalised assistance.
- Special discounts.
- High-quality European components.



REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.




Equipment with European certification and approval.





VPS CATALOG


*The images are only for reference and may be modified upon customer request.













MODEL 11 / 12 / 14 TN

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

ISUZU F11/F12/F14

Models


COMBI BASIC

CHASSIS FEATURES

ISUZU F11 -11TN / F12 12 TN / F14 14TN - 240 CV - 5.2 CC- GSR - ABS - ESS - TCS - CC - AA - EE -EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH

Equipment dimensions: Combi Basic

7.50m X 1.90m X 2.40m



EQUIPMENT FEATURES

COMBI BASIC

TANK	Made of stainless steel, 7000 + 2000L with manholes
COMPARTIMENTS	3000L clean water/ 4000L sludge with By-Pass
PRESSURE PUMP	160 bar-130 L/min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Battioni Pagani KPS-550 - 15250 L/Min refrigerated
BACK REEL	Carbon steel hydraulic
SIDE SUCTION REEL	Optional - Not included
REMOTE CONTROL	High-range with amplifier and antenna

IVECO T-WAY 4X4

COMBI BASIC

MODEL 16 / 18 TN







01

High features 02

Fuel savings

03

Vacuum and/or impulsion mixed trucks



ADVANTAGES OF USING OUR SERVICES

- >> Technical service.
- >> Industry expertise.
- Personalised assistance.
- Special discounts.
- High-quality European components.



REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.



Equipment with European certification and approval.



VPS CATALOG


*The images are only for reference and may be modified upon customer request.



Calle Canal Xuquer Turia N°9 46930 Quart De Poblet. Valencia, ES









MODEL 16TN / 18 TN

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

IVECO T-WAY 4X4

Models


COMBI BASIC


CHASSIS FEATURES.

IVECO T-WAY 4X4 18.360 MULTI POWER – 16 / 18TN COMBI 360 CV - GSR - ABS - ESS - TCS - CC - AA - EE -EC . AIRBAG - DA - CRUISE CONTROL - RADIO BI UFTOOTH

Equipment dimensions: Combi Basic

6.80m x 2.20m x 3.20m





EQUIPMENT FEATURES

COMBI BASIC

TANK	10000 L stainless steel with manholes
COMPARTIMENTS	4000 L clean water/ 6000L dirty water with By-Pass
PRESSURE PUMP	210 bar-210 L/min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Battioni Pagani 2300 - 36000 L/min refrigerated
BACK REEL	Carbon steel hydraulic with collection aid
SIDE SUCTION REEL	Not included
REMOTE CONTROL	High-range with amplifier and antenna

IVECO T-WAY 6X6

COMBI BASIC



MODEL

26TN





01 High

features

02

Fuel savings

03

Vacuum and/or impulsion mixed trucks



ADVANTAGES OF USING OUR SERVICES

- >>> Technical service.
- >> Industry expertise.
- >>> Personalised assistance.
- >>> Special discounts.
- >> High-quality European components.



REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.



Equipment with European certification and approval.




VPS CATALOG


*The images are only for reference and may be modified upon customer request.



Calle Canal Xuquer Turia N°9 46930 Quart De Poblet. Valencia, ES









MODEL 26TN

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

IVECO T-WAY 6X6

Models


COMBI BASIC


CHASSIS FEATURES

IVECO T-WAY 6X6 – 26 TN – COMBI 400 CV - GSR - ABS - ESS - TCS - CC - AA - EE -EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH

Equipment dimensions: Combi Basic

7.20m x 2.20m x 3.20m





EQUIPMENT FEATURES

COMBI BASIC

TANK	12000 L stainless steel with manholes
COMPARTIMENTS	4000 L clean water/ 8000L dirty water with By-Pass
PRESSURE PUMP	210 bar-210 L/min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Battioni Pagani 2300 - 36000 L/min refrigerated
BACK REEL	Carbon steel hydraulic with collection aid
SIDE SUCTION REEL	Not included
REMOTE CONTROL	High-range with amplifier and antenna

SEWER CLEANING.


WATER AND SLUDGE SUCTION TRUCK.

LIQUID WASTE MANAGEMENT SYSTEM.



INDUSTRIAL CLEANING EQUIPMENT MANUFACTURING





+34 688 708 111 / +34 636 893 132



info@vpsecocubas.com