



VACUUM PRESSURE SYSTEMS

VACUUM PRESSURE SYSTEMS CATALOG



PIAGGIO PORTER NP6

COMBI BASIC

ADVANCE PRO

MODEL
2.8TN

GLP *BI-FUEL*



Advance pro



Advance pro

- 01 High features
- 02 Fuel savings
- 03 Vacuum and/or impulsion mixed trucks

ADVANTAGES OF USING OUR SERVICES

- » Technical service.
- » Industry expertise.
- » Personalised assistance.
- » Special discounts.
- » High-quality European components.



Combi Basic

REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.



Equipment with European certification and approval.



VPS CATALOG

*The images are only for reference and may be modified upon customer request.



Calle Canal Xuquer Turia N°9 46930
Quart De Poblet. Valencia, ES



+34 688 708 111 / +34 636 893 132



vpsecocubas.com



info@vpsecocubas.com



VACUUM PRESSURE SYSTEMS

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

MODEL
2.8TN

PIAGGIO PORTER NP6

Models

COMBI BASIC

ADVANCE PRO

CHASSIS FEATURES

PIAGGIO PORTER NP6 – HD TOP – 2,8 TN – 115 HP 1.5 CC - AA - EE - ESC ASR - ABS - EBD - HBA - TCS - ECALL - ARP - TSM.


Equipment dimensions:

Combi Basic

4.90m x 1.60m x 1.95m

Advance Pro

4.90m x 1.70m x 1.95m



EQUIPMENT FEATURES

COMBI BASIC

ADVANCE PRO

TANK	Stainless steel, 2000L capacity with manholes	Stainless steel, 2000L capacity with manholes
COMPARTIMENTS	800L clean water/ 1200L sludge with by-pass	800L clean water/ 1200L sludge with by-pass
PRESSURE PUMP	150 bar-70L / min with flow regulator and safety valve	150 bar-70L / min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Jurop PN33 or Battioni Pagani MEC 2000H	Jurop PN33 or Battioni Pagani MEC2000H
BACK REEL	Hidraulic with a high pressure hose	Hydraulic with a high pressure hose and spindle aided
SIDE SUCTION REEL	Not included	Hydraulic in reinforced aluminum
REMOTE CONTROL	High-range with amplifier and antenna	High-range with amplifier and antenna

*Some of our equipment can be customized upon customer request.

VPS branch offices Spain | Portugal | Italy | Germany

FORD RANGER XL 4X4

COMBI BASIC

ADVANCE PRO

MODEL
3.2TN



Combi basic



Advance pro

- | | | |
|---------------|--------------|--------------------------------------|
| 01 | 02 | 03 |
| High features | Fuel savings | Vacuum and/or impulsion mixed trucks |

ADVANTAGES OF USING OUR SERVICES

- » Technical service.
- » Industry expertise.
- » Personalised assistance.
- » Special discounts.
- » High-quality European components.



Advance pro

REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.



Equipment with European certification and approval.



VPS CATALOG

*The images are for reference and may be modified upon customer request.



Calle Canal Xuquer Turia N°9 46930
Quart De Poblet. Valencia, ES



+34 688 708 111 / +34 636 893 132



vpsecocubas.com



info@vpsecocubas.com



VACUUM PRESSURE SYSTEMS

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

MODEL
3.2TN

FORD RANGER XL 4X4

Models

COMBI BASIC

ADVANCE PRO

CHASSIS FEATURES

FORD RANGER 4X4 – 3,2 TN – 170 CV 2.0 CC - A/A - E/E - ABS - ESS - TCS - CC - AA - EE - EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH.


Equipment dimensions:

Combi Basic

5.50m x 1.87m x 1.95m

Advance Pro

5.50m x 1.87m x 1.95m



EQUIPMENT FEATURES

COMBI BASIC

ADVANCE PRO

TANK	Stainless steel, 2000L capacity with manholes	Stainless steel, 2000L capacity with manholes
COMPARTMENTS	800L clean water/ 1200L sludge with by-pass	800L clean water/ 1200L sludge with by-pass
PRESSURE PUMP	150 bar-70L / min with flow regulator and safety valve	150 bar-70L / min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Jurop PN33 or Battioni Pagani MEC 2000H	Jurop PN33 or Battioni Pagani MEC2000H
BACK REEL	Hidraulic with a high pressure hose	Hydraulic with a high pressure hose and spindle aided
SIDE SUCTION REEL	Not included	Hydraulic in reinforced aluminum
REMOTE CONTROL	High-range with an amplifier and an antenna	High-range with amplifier and antenna

*Some of our equipment can be customized upon customer request.

VPS branch offices Spain | Portugal | Italy | Germany

DFSK DSK Q51

LOW COMBI

COMBI BASIC

MODEL
3.5TN



Combi Basic



Combi Basic

- 01 High features
- 02 Fuel savings
- 03 Vacuum and/or impulsion mixed trucks



Combi Basic

ADVANTAGES OF USING OUR SERVICES

- Technical service. <<
- Industry expertise. <<
- Personalised assistance. <<
- Special discounts. <<
- High-quality European components. <<

REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.



Equipment with European certification and approval.



VPS CATALOG

*The images are only for reference and may be modified upon customer request.



📍 Calle Canal Xuquer Turia N°9 46930
Quart De Poblet. Valencia, ES

☎ +34 688 708 111 / +34 636 893 132

🌐 vpsecocubas.com

✉ info@vpsecocubas.com



VACUUM PRESSURE SYSTEMS
TRUCK RENTAL

VACUUM PRESSURE SYSTEMS

MODEL
3.5TN

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

DFSK DSK Q51

Models

LOW COMBI

COMBI BASIC

CHASSIS FEATURES

DSK Q51 3,5 TN - 115 CV 1.6 CC - ABS - ESS - TCS - CC - AA - EE -EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH


Equipment dimensions:

Low Basic

5.51m x 1.80m x 1.95m

Combi Basic

5.51m x 1.80m x 1.95m



EQUIPMENT FEATURES

LOW COMBI

COMBI BASIC

TANK	Stainless steel, 2000L capacity with manholes	Stainless steel, 2000L capacity with manholes
COMPARTMENTS	800L clean water/1200L sludge with by-pass	800L clean water/1200L sludge with by-pass
PRESSURE PUMP	150 bar-70L / min with flow regulator and safety valve	150 bar-70L / min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Jurop PN33 or Battioni Pagani MEC 2000H	Jurop PN33 or Battioni Pagani MEC2000H
BACK REEL	Hydraulic with a high pressure hose	Hydraulic with a high pressure hose
SIDE SUCTION REEL	Not included	Not included
REMOTE CONTROL	High-range with amplifier and antenna	High-range with amplifier and antenna

*Some of our equipment can be customized upon customer request.

VPS branch offices Spain | Portugal | Italy | Germany

FUSO 3S15

LOW COMBI

COMBI BASIC

ADVANCE PRO

MODEL
3,5TN



Combi Basic



Advance Pro

01

High features

02

Fuel savings

03

Vacuum and/or
impulsion mixed trucks

ADVANTAGES OF USING OUR SERVICES

- » Technical service.
- » Industry expertise.
- » Personalised assistance.
- » Special discounts.
- » High-quality European components.



Advance Pro

REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.



Equipment with European certification and approval.



VPS CATALOG

*The images are only for reference and may be modified upon customer request.



Calle Canal Xuquer Turia N°9 46930
Quart De Poblet. Valencia, ES



+34 688 708 111 / +34 636 893 132



vpsecocubas.com



info@vpsecocubas.com



VACUUM PRESSURE SYSTEMS

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

MODEL
3,5TN

FUSO 3S15

Models

LOW COMBI

COMBI BASIC

ADVANCE PRO

CHASSIS FEATURES



FUSO CANTER 3S15 3,5 TN / 6S15 GSR 6TN - 150 CV 3.0 CC - ABS - ESS - TCS - CC - AA - EE - EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH

Equipment dimensions: Low Combi / Combi Basic

5.40m x 1.75m x 2.08m

Advance Pro

5.40m x 1.75m x 2.08m



EQUIPMENT FEATURES

LOW COMBI

COMBI BASIC

ADVANCE PRO

TANK	Stainless steel, 2600L capacity with manholes	Stainless steel, 2600L capacity with manholes
COMPARTMENTS	800L clean water/1800L sludge with by-pass	800L clean water/1800L sludge with by-pass
PRESSURE PUMP	150 bar-70L / min with flow regulator and safety valve	150 bar-90L / min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Jurop PN33 or Battioni Pagani MEC 2000H	Jurop PN40 or Battioni Pagani MEC 4000H
BACK REEL	Hydraulic with a high pressure hose	Stainless steel hydraulic with hose guide
SIDE SUCTION REEL	Not included	Hydraulic in reinforced aluminum
REMOTE CONTROL	High-range with an amplifier and an antenna	High-range with an amplifier and an antenna

*Some of our equipment can be customized upon customer request.

VPS branch offices Spain | Portugal | Italy | Germany

IVECO DAILY 35C16 / 65C18

COMBI BASIC

PREMIUM

MODEL
3.5TN / 6TN



Combi Basic



Premium

- 01 High features
- 02 Fuel savings
- 03 Vacuum and/or impulsion mixed trucks

ADVANTAGES OF USING OUR SERVICES

- » Technical service.
- » Industry expertise.
- » Personalised assistance.
- » Special discounts.
- » High-quality European components.



Combi Basic

REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.




Equipment with European certification and approval.



VPS CATALOG

*The images are only for reference and may be modified upon customer request.



Calle Canal Xuquer Turia N°9 46930
Quart De Poblet. Valencia, ES

+34 688 708 111 / +34 636 893 132

vpsecocubas.com

info@vpsecocubas.com



VACUUM PRESSURE SYSTEMS

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

MODEL
3,5TN / 6TN

IVECO DAILY 35C16 / 65C18 GSR

Models

COMBI BASIC

PREMIUM

CHASSIS FEATURES

IVECO DAILY 35C16 3,5TN / 65C18 6TN - 160 CV 3.0 CC - ABS - ESS - TCS - CC - AA - EE - EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH


Equipment dimensions:

Combi Basic

5.90m x 1.95m x 2.24m

Premium

6.20m x 1.95m x 2.24m



EQUIPMENT FEATURES

COMBI BASIC

PREMIUM

TANK	Stainless steel, 2600L capacity with manholes	Stainless steel, 2600L capacity with manholes
COMPARTMENTS	800L clean water/1800L sludge with by-pass	800L clean water/1800L sludge with by-pass
PRESSURE PUMP	150 bar-70L / min with flow regulator and safety valve	150 bar-70L/min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Jurop PN40 or Battioni Pagani MEC 4000H	Jurop PN40 or Battioni Pagani MEC 4000H
BACK REEL	Carbon steel hydraulic	Stainless hydraulic with hose guide
SIDE SUCTION REEL	Not included	Hydraulic in reinforced aluminum
REMOTE CONTROL	High-range with amplifier and antenna	High-range with amplifier and antenna

*Some of our equipment can be customized upon customer request.

VPS branch offices Spain | Portugal | Italy | Germany

FUSO 6S15 GSR

COMBI BASIC

ADVANCE PRO

MODEL
6TN



Advance Pro



Combi Basic

- 01 High features
- 02 Fuel savings
- 03 Vacuum and/or impulsion mixed trucks

ADVANTAGES OF USING OUR SERVICES

- » Technical service.
- » Industry expertise.
- » Personalised assistance.
- » Special discounts.
- » High-quality European components.



Advance Pro

REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.



Equipment with European certification and approval.



VPS CATALOG

*The images are only for reference and may be modified upon customer request.



Calle Canal Xuquer Turia N°9 46930
Quart De Poblet. Valencia, ES

+34 688 708 111 / +34 636 893 132

vpsecocubas.com

info@vpsecocubas.com



VACUUM PRESSURE SYSTEMS
TRUCK RENTAL

FUSO 3S15 / 6S15 GSR

COMBI BASIC

ADVANCE PRO

MODEL
3.5 / 6TN



Advance Pro



Combi Basic

- 01 High features
- 02 Fuel savings
- 03 Vacuum and/or impulsion mixed trucks

ADVANTAGES OF USING OUR SERVICES

- » Technical service.
- » Industry expertise.
- » Personalised assistance.
- » Special discounts.
- » High-quality European components.



Advance Pro

REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.



Equipment with European certification and approval.



VPS CATALOG

*The images are only for reference and may be modified upon customer request.




📍 Calle Canal Xuquer Turia N°9 46930
Quart De Poblet. Valencia, ES

☎ +34 688 708 111 / +34 636 893 132

🌐 vpsecocubas.com

✉ info@vpsecocubas.com



VACUUM PRESSURE SYSTEMS
TRUCK RENTAL

VACUUM PRESSURE SYSTEMS

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

MODEL
3.5 / 6TN

FUSO 3S15 / 6S15 GSR

Models

COMBI BASIC

ADVANCE PRO

CHASSIS FEATURES

FUSO CANTER 3S15 3,5 TN / 6S15 GSR 6TN - 150 CV 3.0 CC - ABS - ESS - TCS - CC - AA - EE - EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH



Equipment dimensions:

Low Combi / Combi Basic

5.40m x 1.75m x 2.08m

Advance Pro

5.40m x 1.75m x 2.08m



EQUIPMENT FEATURES

COMBI BASIC

ADVANCE PRO

TANK	Stainless steel, 2600L capacity with manholes	Stainless steel, 2600L capacity with manholes
COMPARTMENTS	800L clean water/1800L sludge with by-pass	800L clean water/1800L sludge with by-pass
PRESSURE PUMP	150 bar-70/90L min with flow regulator and safety valve	150 bar-70/90L / min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Jurop PN40 or Battioni Pagani MEC 4000H	Jurop PN40 or Battioni Pagani MEC 4000H
BACK REEL	Hydraulic with a high pressure hose	Stainless steel hydraulic with hose guide
SIDE SUCTION REEL	Not included	Hydraulic in reinforced aluminum
REMOTE CONTROL	High-range with an amplifier and an antenna	High-range with an amplifier and an antenna

*Some of our equipment can be customized upon customer request.

VPS branch offices Spain | Portugal | Italy | Germany

FUSO 7C18 GSR

COMBI BASIC

ADVANCE PLUS II

MODEL
7.5TN



Advance Plus II



Advance Plus II

- 01 High features
- 02 Fuel savings
- 03 Vacuum and/or impulsion mixed trucks

ADVANTAGES OF USING OUR SERVICES

- » Technical service.
- » Industry expertise.
- » Personalised assistance.
- » Special discounts.
- » High-quality European components.



Advance Plus II

REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Plus equipment.



Equipment with European certification and approval.



VPS CATALOG

*The images are only for reference and may be modified upon customer request.



Calle Canal Xuquer Turia N°9 46930
Quart De Poblet. Valencia, ES



+34 688 708 111 / +34 636 893 132



vpsecocubas.com



info@vpsecocubas.com



VACUUM PRESSURE SYSTEMS

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

MODEL
7.5TN

FUSO 7C18 GSR

Models

COMBI BASIC

ADVANCE PLUS II

CHASSIS FEATURES


FUSO CANTER 7C18 GSR – 7,5 TN – 180 CV – 3.0 CC - GSR - ABS - ESS - TCS - CC - AA - EE -EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH

Equipment dimensions: Combi Basic

6.12m X 2.23m X 2.58m

Advance Plus II

6.12m X 2.23m X 2.58m



EQUIPMENT FEATURES

COMBI BASIC

ADVANCE PLUS II

TANK	6000L stainless steel	6000L stainless steel
COMPARTMENTS	2000L of clean water/ 4000L sludge with By-Pass	2000L of clean water/ 4000L sludge with By-Pass
PRESSURE PUMP	150 bar-105 L/min with flow regulator and safety valve	150 bar-105 L/min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Battioni Pagani Ballast 9000H cooled.	Battioni Pagani Ballast 9000H cooled.
BACK REEL	Carbon steel hydraulic with hose guide	Stainless steel hydraulic with hose guide
UPPER SUCTION REEL	Not included	Hydraulic in aluminium with hose.
REMOTE CONTROL	High-range with amplifier and antenna	High-range with amplifier and antenna

*Some of our equipment can be customized upon customer request.

VPS branch offices Spain | Portugal | Italy | Germany

ISUZU P75 GSR

COMBI BASIC

COMBI PREMIUM

MODEL
7,5TN



Combi Basic



Combi Premium

- 01 High features
- 02 Fuel savings
- 03 Vacuum and/or impulsion mixed trucks

ADVANTAGES OF USING OUR SERVICES

- » Technical service.
- » Industry expertise.
- » Personalised assistance.
- » Special discounts.
- » High-quality European components.



Combi Premium

REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic and Advance Pro equipment.



Equipment with European certification and approval.



VPS CATALOG

*The images are only for reference and may be modified upon customer request.



Calle Canal Xuquer Turia N°9 46930
Quart De Poblet. Valencia, ES



+34 688 708 111 / +34 636 893 132



vpsecocubas.com



info@vpsecocubas.com



VACUUM PRESSURE SYSTEMS
TRUCK RENTAL

VACUUM PRESSURE SYSTEMS

MODEL
7.5TN

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

ISUZU P75 GSR

Models

COMBI BASIC

COMBI PREMIUM

CHASSIS FEATURES

ISUZU P75 GSR- 7,5 TN – 190 CV – 5.2 CC- GSR - ABS - ESS - TCS - CC - AA - EE - EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH


Equipment dimensions:

Combi Basic

6.20m X 1.95m X 2.24m

Combi Premium

6.20m X 1.95m X 2.24m



EQUIPMENT FEATURES

COMBI BASIC

COMBI PREMIUM

TANK	Stainless steel, 4000 + 2000 L with flasks	Stainless steel, 4000 + 2000 L with flasks
COMPARTIMENTS	2000L clean water/ 4000L sludge with By-Pass	2000L clean water/ 4000L sludge with By-Pass
PRESSURE PUMP	150 bar-105 L/min with flow regulator and safety valve	150 bar-105 L/min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Jurop PN58 or Battioni Pagani MEC 6500H	Jurop PN58 or Battioni Pagani MEC 6500H
BACK REEL	Carbon steel hydraulic with hose guide	Carbon steel hydraulic with hose guide
SIDE SUCTION REEL	Not included	Reinforced aluminum hydraulic after-cabin
REMOTE CONTROL	High-range with amplifier and antenna	High-range with amplifier and antenna

*Some of our equipment can be customized upon customer request.

VPS branch offices Spain | Portugal | Italy | Germany

ISUZU F11 / F12 / F14 GSR

COMBI BASIC

MODEL
11 / 12 / 14 TN



01

High features

02

Fuel savings

03

Vacuum and/or impulsion mixed trucks

ADVANTAGES OF USING OUR SERVICES

- » Technical service.
- » Industry expertise.
- » Personalised assistance.
- » Special discounts.
- » High-quality European components.



REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic.




Equipment with European certification and approval.



VPS CATALOG

*The images are only for reference and may be modified upon customer request.




📍 Calle Canal Xuquer Turia N°9 46930
Quart De Poblet. Valencia, ES

☎ +34 688 708 111 / +34 636 893 132

🌐 vpsecocubas.com

✉ info@vpsecocubas.com



VACUUM PRESSURE SYSTEMS

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

MODEL
11 / 12 / 14 TN

ISUZU F11/F12/F14 GSR

Models


COMBI BASIC

CHASSIS FEATURES

ISUZU F11 -11TN / F12 12 TN / F14 14TN GSR – 240 CV – 5.2 CC- GSR - ABS - ESS - TCS - CC - AA - EE -EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH

Equipment dimensions:
Combi Basic

7.50m X 1.90m X 2.40m



EQUIPMENT FEATURES

COMBI BASIC

TANK	Made of stainless steel, 7000 + 2000L with manholes
COMPARTIMENTS	3000L clean water/ 4000L sludge with By-Pass
PRESSURE PUMP	160 bar-130 L/min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Battioni Pagani KPS-550 - 15250 L/Min refrigerated
BACK REEL	Carbon steel hydraulic
SIDE SUCTION REEL	Optional - Not included
REMOTE CONTROL	High-range with amplifier and antenna

*Some of our equipment can be customized upon customer request.

VPS branch offices Portugal | Italy | Germany

IVECO T-WAY 4X4 GSR

COMBI BASIC

MODEL
16 / 18 TN



01

High features

02

Fuel savings

03

Vacuum and/or
impulsion mixed trucks

ADVANTAGES OF USING OUR SERVICES

- » Technical service.
- » Industry expertise.
- » Personalised assistance.
- » Special discounts.
- » High-quality European components.



REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump,
and reel is simultaneous in all our Combi Basic.




Equipment with European certification and approval.



VPS CATALOG

*The images are only for reference
and may be modified upon
customer request.




Calle Canal Xuquer Turia N°9 46930
Quart De Poblet. Valencia, ES

+34 688 708 111 / +34 636 893 132

vpsecocubas.com

info@vpsecocubas.com



VACUUM PRESSURE SYSTEMS

MODEL
16 / 18 TN

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

IVECO T-WAY 4X4 GSR


Models

COMBI BASIC

CHASSIS FEATURES.

IVECO T-WAY 4X4 GSR 18.360 MULTI POWER – 16 / 18TN COMBI 360 CV - GSR - ABS - ESS - TCS - CC - AA - EE -EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH

Equipment dimensions:
Combi Basic
6.80m x 2.20m x 3.20m



EQUIPMENT FEATURES

COMBI BASIC

TANK	10000 L stainless steel with manholes
COMPARTIMENTS	4000 L clean water/ 6000L dirty water with By-Pass
PRESSURE PUMP	210 bar-210 L/min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Battioni Pagani 2300 - 36000 L/min refrigerated
BACK REEL	Carbon steel hydraulic with collection aid
SIDE SUCTION REEL	Not included
REMOTE CONTROL	High-range with amplifier and antenna

*Some of our equipment can be customized upon customer request.

VPS branch offices Spain | Portugal | Italy | Germany

IVECO T-WAY 6X6 GSR

COMBI BASIC

MODEL
26TN



- | | | |
|---------------|--------------|--------------------------------------|
| 01 | 02 | 03 |
| High features | Fuel savings | Vacuum and/or impulsion mixed trucks |

ADVANTAGES OF USING OUR SERVICES

- » Technical service.
- » Industry expertise.
- » Personalised assistance.
- » Special discounts.
- » High-quality European components.



REQUEST A QUOTE OBLIGATION FREE.

The operation of the water pump, vacuum pump, and reel is simultaneous in all our Combi Basic.



Equipment with European certification and approval.



VPS CATALOG

*The images are only for reference and may be modified upon customer request.



Calle Canal Xuquer Turia N°9 46930
Quart De Poblet. Valencia, ES

+34 688 708 111 / +34 636 893 132

vpsecocubas.com

info@vpsecocubas.com



VACUUM PRESSURE SYSTEMS

**MODEL
26TN**

We manufacture vacuum-pressure mixed equipment for the cleaning industry and sanitation field.

IVECO T-WAY 6X6 GSR


Models

COMBI BASIC

CHASSIS FEATURES

IVECO T-WAY 6X6 GSR – 26 TN – COMBI 400 CV - GSR - ABS - ESS - TCS - CC - AA - EE -EC . AIRBAG - DA - CRUISE CONTROL - RADIO BLUETOOTH

Equipment dimensions:
Combi Basic
7.20m x 2.20m x 3.20m



EQUIPMENT FEATURES

COMBI BASIC

TANK	12000 L stainless steel with manholes
COMPARTIMENTS	4000 L clean water/ 8000L dirty water with By-Pass
PRESSURE PUMP	210 bar-210 L/min with flow regulator and safety valve
VACUUM PUMP / DEPRESSOR	Battioni Pagani 2300 - 36000 L/min refrigerated
BACK REEL	Carbon steel hydraulic with collection aid
SIDE SUCTION REEL	Not included
REMOTE CONTROL	High-range with amplifier and antenna

*Some of our equipment can be customized upon customer request.

VPS branch offices Spain | Portugal | Italy | Germany

SEWER CLEANING.

WATER AND SLUDGE SUCTION TRUCK.

LIQUID WASTE MANAGEMENT SYSTEM.



INDUSTRIAL CLEANING EQUIPMENT MANUFACTURING



Calle Canal Xuquer Turia N°9 46930
Quart De Poblet. Valencia, ES



+34 688 708 111 / +34 636 893 132



vpsecocubas.com



info@vpsecocubas.com

VPS branches

Spain | Portugal | Italy | Germany